

607LLU/1K



607LLU/1K Bearing dimensions and specification in NTN catalogue:

B	6 mm
D	19 mm
d	7 mm
f0	12.9
EAN	0692314633304
Bore	0.276 Inch 7 Millimeter
Mass	0.008 kg
Noun	Bearing
Brand	NTN
Da max	17 mm

NTN 607LLU/1K Single Row Deep Groove Ball Bearings

Bearing Data Sheet:

UNSPSC	31171504
da max	10.4 mm
da min	9 mm
ra max	0.3 mm
rs min	0.3 mm
Category	Single Row Ball Bearing
Enclosure	2 Seals
Inventory	0.0
Snap Ring	No
Weight / LBS	0.02645
Cage Material	Steel
Inch - Metric	Metric
Nlim (grease)	34,000 rpm
Product Group	B00308
Enclosure Type	Contact Seal
Keyword String	Ball
Other Features	Deep Groove Double Lip Friction Nitrile Rubber Seal -20 To 120 Deg C Prelubricated
Dynamic load, C	2.24 kN
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Static load, C0	0.91 kN
Inner Race Width	0 Inch 0 Millimeter
Long Description	7MM Bore; 19MM Outside Diameter; 6MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage; Co
Manufacturer URL	http://www.ntnamerica.com
Outer Race Width	0.236 Inch 6 Millimeter
Outside Diameter	0.748 Inch 19 Millimeter
Manufacturer Name	NTN
Weight / Kilogram	0

Internal Clearance	C0-Medium
Minimum Buy Quantity	N/A
Fatigue limit load, Cu	0.04 kN
Harmonized Tariff Code	8482.10.50.68
Radial clearance class	CN
Internal Special Features	No
Max operating temperature, Tmax	110 °C
Maximum Capacity / Filling Slot	No
Min operating temperature, Tmin	-25 °C